

CC B032

=====

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====

PRODUCT NUMBER: 299
IDENTITY: ██████████ QTS Revision Date: 04/23/2002

Section I

Manufacturer's Name: CAPITAL SUPPLY ***	Telephone Numbers:
Address: 620 12TH AVENUE	Emergency:
NEW YORK	800/255-3924
State: NY Zip Code: 100361004	Information:
	212/307-6600

HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 0 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
2-BUTOXY ETHANOL *	111-76-2	25 PPM	25 PPM	N/A	---
ISOPROPYL ALCOHOL	67-63-0	400 PPM	400 PPM	N/A	---
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----

Comment:
THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====

Boiling Point:	212	Specific Gravity (water=1)	0.99
Vapor Pressure(mm Hg)	18	Melting Point:	N/A
Vapor Density(AIR=1)	>1	Evaporation Rate:	>1.0
Solubility in Water:	100%	(Butyl Acetate-1)	
Appearance and Odor:	CLEAR LIQUID, FRUITY ODOR		

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====

Flash Point(Method Used): NONE	Flammable Limits: LEL: N/A	UEL: N/A
Extinguishing Media: NONE		

Special Fire Fighting Procedures: NONE

Unusual Fire and Explosion Hazards: NONE

Section V: REACTIVITY DATA

PRODUCT NUMBER: 299

=====
Stability: Unstable: Conditions to avoid:
 Stable: X N/A
Incompatibility (Materials to Avoid): NONE

Hazardous Decomposition or Byproducts: NONE

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: NO Skin: YES Ingestion: YES
Health Hazards(Acute and Chronic):
SKIN: MAY CAUSE LOCALIZED DEFATTING. EYES: MAY CAUSE IRRITATION AND
BURNING. CAN CAUSE MILD CORNEAL DAMAGE. INGESTION: MAY CAUSE NAUSEA OR
VOMITING.
Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INGESTION: INDUCE VOMITING, SEE A
PHYSICIAN. SKIN: WASH WITH SOAP AND WATER, IF IRRITATION PERSISTS, SEE
PHYSICIAN. EYES: WASH THOROUGHLY WITH WATER FOR 15 MINUTES. SEE PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH
RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE
AND LOCAL GUIDELINES. DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT REUSE
CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY AREA.
KEEP AWAY FROM HEAT OR OPEN FLAME.

Other Precautions: N/A

Section VIII: CONTROL MEASURES

Respiratory Protection: USE WITH ADEQUATE VENTILATION

Ventilation: Local Exhaust: ADEQUATE

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE

□